



	HEDIS 2010	AZ	CT	FL-NRF	FL-RF	MD	MI	NE	NJ	NY	PA-E	RI	TN-E	TN-M	TN-W	WI	PA-W	OH	SC	DE	DC
		HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010	HEDIS 2010
CIS	Childhood Immunization Status - DTaP/DT	81.15%	66.67%	84.67%	82.00%	90.02%	78.59%	87.83%	84.18%	75.67%	76.16%	89.54%	80.54%	87.83%	75.91%	82.24%	78.10%	82.73%	74.70%	83.45%	67.22%
	Childhood Immunization Status - IPV	88.85%	71.43%	89.78%	89.78%	91.24%	91.48%	92.21%	89.54%	86.37%	84.91%	96.35%	90.27%	93.67%	87.59%	90.75%	89.54%	90.75%	85.16%	87.10%	80.50%
	Childhood Immunization Status - Measles, Mumps, Rubella	93.72%	87.30%	91.48%	90.51%	94.40%	89.05%	92.94%	90.51%	89.29%	87.83%	94.16%	89.78%	91.48%	87.59%	91.73%	90.27%	91.48%	86.37%	91.48%	83.82%
	Childhood Immunization Status - H Influenza Type B Immunization	94.48%	77.78%	94.89%	91.97%	95.13%	94.16%	96.84%	94.89%	92.94%	89.54%	98.54%	94.16%	97.32%	91.00%	93.19%	95.13%	95.86%	90.02%	91.73%	85.89%
	Childhood Immunization Status - Hepatitis B	88.36%	69.84%	90.75%	89.54%	89.05%	92.94%	85.89%	90.02%	85.16%	86.13%	98.05%	91.00%	93.92%	89.78%	88.32%	92.70%	91.24%	83.70%	85.64%	81.33%
	Childhood Immunization Status - VZV	94.36%	85.71%	92.21%	90.02%	95.86%	89.54%	92.94%	89.54%	81.02%	88.32%	93.92%	91.00%	92.46%	86.62%	89.29%	91.73%	89.29%	87.83%	90.27%	82.99%
	Childhood Immunization Status - Pneumococcal Conjugate	79.28%	73.02%	73.97%	75.91%	83.45%	77.13%	78.83%	76.40%	66.18%	72.99%	90.02%	77.62%	79.08%	74.21%	77.13%	77.37%	81.02%	72.02%	78.35%	62.24%
	Childhood Immunization Status - Hepatitis A	29.65%	26.98%	32.60%	28.95%	60.10%	31.87%	46.23%	28.22%	17.27%	38.20%	35.04%	37.96%	43.80%	33.82%	27.49%	39.17%	30.17%	27.74%	45.01%	28.63%
	Childhood Immunization Status - Rotavirus	51.96%	31.75%	37.96%	43.31%	61.56%	54.99%	64.48%	48.18%	27.01%	48.18%	71.53%	52.55%	64.72%	53.04%	46.47%	48.66%	57.91%	57.18%	74.70%	44.40%
	Childhood Immunization Status - Influenza	38.92%	34.92%	19.22%	27.01%	53.04%	30.17%	55.47%	44.04%	31.87%	49.64%	61.80%	36.01%	45.99%	13.38%	46.72%	39.66%	40.15%	25.06%	52.55%	34.44%
	Childhood Immunization Status - Combo 2	74.80%	58.73%	78.35%	77.86%	83.94%	73.24%	75.43%	76.64%	63.99%	71.05%	85.64%	74.45%	81.51%	71.05%	73.97%	72.51%	73.48%	68.61%	73.97%	64.73%
	Childhood Immunization Status - Combo 3	70.52%	57.14%	67.40%	70.32%	78.35%	68.86%	68.37%	67.64%	55.96%	65.94%	82.97%	69.10%	72.75%	66.67%	66.67%	66.67%	68.61%	63.50%	68.86%	58.09%
	Childhood Immunization Status - Combo 4	24.95%	19.05%	27.74%	26.76%	52.07%	27.98%	39.66%	25.30%	13.63%	33.58%	33.33%	35.04%	37.71%	31.14%	23.60%	33.09%	26.28%	23.11%	37.96%	24.48%
	Childhood Immunization Status - Combo 5	44.66%	25.40%	32.12%	38.69%	56.45%	45.74%	50.36%	39.17%	21.17%	41.61%	64.72%	43.07%	53.28%	43.31%	40.15%	40.15%	44.77%	42.82%	59.37%	36.51%
	Childhood Immunization Status - Combo 6	32.14%	22.22%	15.82%	23.60%	48.42%	26.52%	42.09%	37.23%	26.28%	40.63%	55.23%	30.66%	40.39%	11.68%	38.69%	32.36%	33.09%	20.19%	42.09%	29.05%
	Childhood Immunization Status - Combo 7	17.49%	14.29%	15.82%	19.22%	38.69%	21.90%	30.41%	15.57%	7.54%	24.33%	26.28%	26.03%	27.74%	22.14%	15.09%	22.87%	19.46%	13.87%	33.82%	19.50%
	Childhood Immunization Status - Combo 8	13.66%	6.35%	8.27%	14.11%	34.31%	13.63%	26.03%	15.09%	8.52%	22.14%	22.87%	18.49%	23.36%	6.57%	15.57%	20.68%	15.57%	9.49%	23.84%	12.45%
	Childhood Immunization Status - Combo 9	21.82%	7.94%	9.49%	16.79%	37.96%	19.71%	34.06%	23.84%	13.14%	27.74%	44.04%	20.92%	32.36%	8.76%	27.98%	20.92%	24.09%	14.84%	37.23%	19.50%
	Childhood Immunization Status - Combo 10	10.12%	3.17%	4.87%	10.46%	27.25%	11.68%	22.14%	9.25%	4.87%	16.30%	18.98%	13.63%	18.73%	5.60%	11.44%	13.87%	12.41%	6.33%	21.17%	10.79%
	BCS	Breast Cancer Screening (Age 42-51)		NA																	
Breast Cancer Screening (Age 52-69)			NA																		
Breast Cancer Screening (Total)		61.74%	NA	52.31%	48.61%	48.18%	57.61%	47.45%	52.18%	62.61%	45.06%	62.73%	42.99%	42.49%	NA	52.14%	50.96%	47.70%	52.12%	52.63%	NA

CONFIDENTIAL

	HEDIS 2010	AZ	CT	FL-NRF	FL-RF	MD	MI	NE	NJ	NY	PA-E	RI	TN-E	TN-M	TN-W	WI	PA-W	OH	SC	DE	DC	
		HEDIS 2010																				
CHL	Chlamydia Screening in Women (Age 16-20)	48.53%	56.53%	48.82%	51.41%	57.88%	61.28%	53.28%	51.36%	52.43%	65.66%	55.49%	45.55%	51.87%	61.24%	56.18%	50.86%	47.77%	53.02%	NR	72.80%	
	Chlamydia Screening in Women (Age 21-24)	54.10%	71.69%	60.48%	67.65%	64.19%	67.72%	60.87%	57.79%	64.93%	68.01%	67.60%	54.03%	58.19%	68.71%	64.32%	55.81%	55.29%	63.05%	NR	75.08%	
	Chlamydia Screening in Women (Total)	51.14%	63.21%	53.32%	58.20%	59.93%	63.65%	55.66%	54.44%	59.51%	66.34%	60.60%	48.75%	54.58%	64.37%	60.57%	52.83%	51.20%	58.13%	NR	73.68%	
CBP	Controlling High Blood Pressure (Age 18-45)																					61.83%
	Controlling High Blood Pressure (Age 46-85)																					
CDC	Comprehensive Diabetes Care - HbA1c Testing	74.31%	71.43%	76.16%	81.40%	71.78%	81.00%	85.12%	74.00%	86.72%	72.81%	81.02%	80.59%	77.33%	76.29%	79.25%	78.83%	81.51%	78.10%	76.40%	63.47%	
AAP	Adults' Access to Preventive (Age 20-44)	82.33%	77.52%	69.43%	70.23%	79.16%	84.34%	88.90%	80.14%	85.67%	65.50%	88.59%	78.20%	83.02%	72.96%	86.86%	80.22%	84.14%	80.27%	85.14%	65.33%	
	Adults' Access to Preventive (Age 45-64)	87.51%	77.45%	83.69%	84.74%	87.12%	90.82%	90.14%	85.23%	90.55%	75.30%	92.39%	84.23%	88.55%	76.31%	88.36%	85.22%	89.58%	82.30%	88.28%	62.37%	
	Adults' Access to Preventive (Age 65+)	86.41%	NA	82.83%	84.91%	NA	93.68%	91.53%	81.48%	89.33%	74.32%	91.41%	86.16%	85.79%	75.98%	83.53%	83.08%	88.89%	NA	82.35%	NA	
	Adults' Access to Preventive (Total)	84.27%	77.50%	74.21%	74.69%	81.70%	86.50%	89.46%	81.44%	87.68%	69.68%	89.96%	80.27%	84.33%	73.78%	87.09%	81.78%	85.42%	80.74%	85.89%	64.62%	
W34	Well Child Visits in 3, 4, 5, 6 yr	NR	66.67%	67.99%	66.87%	82.43%	85.07%	66.33%	76.36%	77.29%	73.45%	77.24%	65.77%	71.97%	69.22%	66.01%	73.10%	68.84%	64.15%	73.22%	74.18%	
AWC	Adolescent Well Care Visits	49.64%	52.55%	40.63%	37.71%	64.72%	65.98%	47.84%	53.66%	53.38%	50.36%	61.97%	34.37%	40.63%	38.20%	40.21%	57.91%	41.12%	45.74%	NR	45.74%	
AMB	Ambulatory Care - ER Visits	62.57	67.74	71.24	66.79	68.86	80.06	70.39	NR	25.38	70.90	70.36	97.79	80.41	68.74	67.10	80.84	94.39	77.16	76.81	56.97	
PPC	Timeliness of Prenatal Care	75.91%	73.24%	74.21%	72.22%	86.61%	94.44%	86.86%	82.00%	NR	73.24%	88.52%	80.33%	81.67%	64.48%	64.48%	85.89%	91.65%	90.16%	90.73%	62.43%	
	Postpartum Care	57.91%	58.64%	54.26%	56.35%	63.39%	74.44%	67.53%	58.15%	NR	58.39%	60.93%	61.75%	64.15%	53.04%	65.45%	63.75%	66.84%	77.39%	75.37%	47.40%	
WCC	BMI Percentile 3 to 11 Yrs	NR	14.34%	NR	NR	NR	39.27%	12.67%	NR	52.28%	35.46%	15.06%	32.21%	21.74%	36.86%	8.83%	46.89%	NR	NR	NR	0.37%	
	BMI Percentile 12 to 17 Yrs	NR	15.83%	NR	NR	NR	35.29%	14.41%	NR	37.30%	32.50%	18.02%	25.66%	20.54%	28.81%	16.41%	47.83%	NR	NR	NR	0.00%	
	BMI Percentile Total	NR	14.84%	NR	NR	NR	37.96%	13.14%	NR	47.69%	34.31%	16.30%	30.41%	21.41%	34.55%	11.19%	47.20%	NR	NR	NR	0.24%	
	Counseling for Nutrition 3 to 11 Yrs	NR	50.37%	NR	NR	NR	42.55%	33.00%	NR	49.47%	53.39%	56.90%	52.01%	39.46%	50.17%	29.33%	53.11%	NR	NR	NR	0.37%	
	Counseling for Nutrition 12 to 17 Yrs	NR	34.53%	NR	NR	NR	37.50%	31.53%	NR	39.68%	51.88%	47.09%	46.02%	25.00%	38.14%	25.78%	46.38%	NR	NR	NR	0.72%	
	Counseling for Nutrition Total	NR	45.01%	NR	NR	NR	40.88%	32.60%	NR	46.47%	52.80%	52.80%	50.36%	35.52%	46.72%	28.22%	50.85%	NR	NR	NR	0.49%	
	Counseling for Physical Activity 3 to 11 Yrs	NR	45.59%	NR	NR	NR	25.82%	29.00%	NR	41.05%	42.23%	44.77%	43.62%	31.77%	32.42%	24.38%	28.94%	NR	NR	NR	0.00%	
	Counseling for Physical Activity 12 to 17 Yrs	NR	42.45%	NR	NR	NR	26.47%	37.84%	NR	34.92%	48.13%	46.51%	46.02%	22.32%	31.36%	26.56%	44.20%	NR	NR	NR	0.00%	
	Counseling for Physical Activity Total	NR	44.53%	NR	NR	NR	26.03%	31.39%	NR	39.17%	44.53%	45.50%	44.28%	29.20%	32.12%	25.06%	34.06%	NR	NR	NR	0.00%	

CONFIDENTIAL

CONFIDENTIAL

	HEDIS 2010	AZ	CT	FL-NRF	FL-RF	MD	MI	NE	NJ	NY	PA-E	RI	TN-E	TN-M	TN-W	WI	PA-W	OH	SC	DE	DC
		HEDIS 2010																			
	Reported admin rate																				
	NA = denominator <30																				
	NR = plan chose not to report																				
	FL-NRF=FL Non-Reform																				
	FL-RF=FL Reform																				
	PA-E = PA East																				
	PA-W= PA West																				
	TN-E = TN East																				
	TN-M=TN Middle																				
	TN-W=TN West																				



	HEDIS 2009	AZ	FL-NRF	FL-RF	MD	MI	NE	NJ	NY	NYU	PA-E	RI	TN-E	TN-M	WI	PA-W	OH	SC	DC
		HEDIS 2009		HEDIS 2009															
CIS	Childhood Immunization Status - DTaP/DT	85.16%	84.91%	83.45%	87.50%	83.95%	85.12%	87.07%	53.70%	NA	81.25%	83.33%	87.77%	86.86%	86.34%	77.62%	73.24%	60.06%	NR
	Childhood Immunization Status - IPV	93.43%	89.29%	87.83%	93.88%	93.16%	89.02%	90.73%	68.52%	NA	91.41%	96.53%	96.01%	94.89%	92.53%	90.75%	81.75%	68.34%	NR
	Childhood Immunization Status - Measles, Mumps, Rubella	97.32%	95.86%	93.67%	97.87%	94.21%	97.32%	96.59%	85.30%	NA	93.49%	98.96%	96.54%	95.62%	97.16%	91.24%	85.89%	70.71%	NR
	Childhood Immunization Status - H Influenza Type B Immunization	96.59%	95.13%	95.62%	97.34%	96.58%	98.29%	97.32%	86.88%	NA	94.53%	98.96%	98.67%	97.32%	96.91%	96.11%	88.56%	77.51%	NR
	Childhood Immunization Status - Hepatitis B	93.43%	90.75%	88.81%	93.35%	95.00%	87.32%	93.41%	68.76%	NA	90.89%	98.96%	97.61%	95.86%	92.27%	93.92%	80.29%	70.41%	NR
	Childhood Immunization Status - VZV	96.35%	96.11%	93.67%	97.87%	92.63%	97.07%	97.07%	76.60%	NA	91.67%	99.31%	96.54%	95.62%	97.42%	91.00%	80.05%	72.49%	NR
	Childhood Immunization Status - Pneumococcal Conjugate	79.56%	72.99%	68.13%	84.04%	81.32%	76.83%	74.63%	48.94%	NA	81.25%	85.76%	85.11%	83.45%	77.84%	79.56%	71.78%	56.21%	NR
	Childhood Immunization Status - Combo 2	82.24%	81.27%	78.83%	84.84%	81.05%	75.85%	82.20%	42.00%	NA	78.91%	82.99%	85.90%	84.67%	81.19%	74.94%	63.02%	55.92%	NR
	Childhood Immunization Status - Combo 3	74.21%	67.40%	63.02%	78.72%	75.26%	66.10%	69.02%	33.63%	NA	74.74%	79.51%	80.59%	78.59%	72.68%	70.07%	56.93%	50.89%	NR
BCS	Breast Cancer Screening (Total)	60.91%	50.00%	45.89%	51.20%	55.99%	49.93%	51.75%	63.39%	NA	44.01%	61.33%	41.58%	26.26%	49.29%	50.40%	NR	48.44%	NR
CHL	Chlamydia Screening in Women (Age 16-20)	40.47%	47.86%	57.32%	50.30%	57.69%	54.26%	50.98%	48.58%	NA	57.43%	55.62%	43.56%	51.40%	60.04%	47.38%	NR	60.31%	NR
	Chlamydia Screening in Women (Age 21-25)	46.54%	60.31%	69.12%	59.31%	67.57%	67.51%	57.05%	58.46%	NA	56.69%	65.48%	52.89%	57.01%	63.94%	54.58%	NR	66.23%	NR
	Chlamydia Screening in Women (Total)	43.35%	52.60%	62.67%	52.51%	61.16%	58.45%	53.71%	54.14%	NA	57.22%	59.69%	47.07%	53.77%	62.14%	50.43%	NR	63.06%	NR
CDC	Comprehensive Diabetes Care (HbA1c Testing)	NR	83.70%	83.66%	71.05%	80.29%	84.18%	72.02%	82.32%	NA	74.94%	86.26%	80.05%	76.64%	79.30%	78.83%	NR	72.30%	NR
AAP	Adults' Access to Preventive (Age 20-44)	80.86%	69.15%	74.51%	75.71%	82.89%	88.27%	78.87%	84.18%	NA	62.92%	89.95%	74.32%	79.06%	84.94%	78.77%	NR	80.14%	NR
	Adults' Access to Preventive (Age 45-64)	87.22%	83.07%	86.92%	85.55%	89.94%	90.61%	85.18%	89.62%	NA	73.83%	92.53%	79.32%	81.59%	86.99%	83.47%	NR	83.33%	NR
	Adults' Access to Preventive (Age 65+)	85.05%	82.72%	86.96%	75.00%	76.19%	93.69%	81.22%	89.25%	NA	73.33%	NR	81.88%	73.01%	81.55%	79.81%	NR	100.00%	NR
W34	Well Child Visits in 3, 4, 5, 6 yr	NR	70.83%	72.70%	75.41%	76.35%	59.75%	75.86%	75.30%	NA	68.73%	81.25%	66.08%	66.07%	62.75%	71.03%	NR	53.83%	NR

CONFIDENTIAL

	HEDIS 2009	AZ	FL-NRF	FL-RF	MD	MI	NE	NJ	NY	NYU	PA-E	RI	TN-E	TN-M	WI	PA-W	OH	SC	DC
		HEDIS 2009		HEDIS 2009															
AWC	Adolescent Well Care Visits	NR	42.34%	42.58%	47.32%	62.28%	52.07%	53.28%	51.62%	NA	48.42%	65.46%	39.90%	37.71%	37.56%	51.04%	NR	26.72%	NR
AMB	Ambulatory Care - ER Visits	59.36	62.02	63.98	59.33	70.99	62.46	48.53	25.05%		64.48	61.29	93.40	76.05	63.41	74.69	NR	73.26	51.39
PPC	Timeliness of Prenatal Care	75.91%	76.40%	68.95%	89.74%	90.38%	85.79%	87.59%	79.56%	NA	63.50%	87.07%	89.20%	83.13%	67.64%	86.62%	NR	86.54%	54.05%
	Postpartum Care	57.91%	53.04%	45.16%	67.63%	68.86%	66.33%	61.80%	74.70%	NA	46.96%	67.32%	67.09%	66.25%	65.45%	65.21%	NR	67.20%	43.24%
WCC	BMI Percentile 3 to 11 Yrs	NR	10.86%	9.60%	NR	26.35%	11.19%	NR	44.44%	NA	37.55%	11.20%	12.45%	15.52%	30.59%	45.85%	NR	25.41%	NR
	BMI Percentile 12 to 17 Yrs	NR	6.54%	16.51%	NR	28.36%	18.97%	NR	43.97%	NA	29.33%	10.59%	15.22%	21.49%	18.69%	40.30%	NR	18.27%	NR
	BMI Percentile Total	NR	9.73%	11.44%	NR	27.01%	13.38%	NR	44.28%	NA	34.55%	10.95%	13.38%	17.27%	27.49%	44.04%	NR	23.60%	NR
	Counseling for Nutrition 3 to 11 Yrs	NR	52.96%	59.60%	NR	35.38%	33.90%	NR	48.89%	NA	65.13%	59.75%	53.48%	54.48%	49.01%	67.51%	NR	51.47%	NR
	Counseling for Nutrition 12 to 17 Yrs	NR	34.58%	37.61%	NR	35.82%	24.14%	NR	41.13%	NA	62.67%	51.76%	47.10%	48.76%	42.99%	56.72%	NR	39.42%	NR
	Counseling for Nutrition Total	NR	48.18%	53.77%	NR	35.52%	31.14%	NR	46.23%	NA	64.23%	56.45%	51.34%	52.80%	47.45%	63.99%	NR	48.42%	NR
	Counseling for Physical Activity 3 to 11 Yrs	NR	26.97%	31.46%	NR	24.55%	21.36%	NR	28.52%	NA	47.51%	48.13%	33.33%	34.83%	31.91%	51.99%	NR	38.76%	NR
	Counseling for Physical Activity 12 to 17 Yrs	NR	26.17%	35.78%	NR	29.85%	34.48%	NR	38.30%	NA	62.67%	50.00%	42.03%	44.63%	40.19%	49.25%	NR	31.73%	NR
	Counseling for Physical Activity Total	NR	26.76%	32.60%	NR	26.28%	25.06%	NR	31.87%	NA	53.04%	48.91%	36.25%	37.71%	34.06%	51.09%	NR	36.98%	NR

WCC was a first year measure for HEDIS 2009
 NA = denominator <30
 NR = plan chose not to report

FL-NRF=FL Non-Reform
FL-RF=FL Reform
PA-E = PA East
PA-W= PA West
TN-E = TN East
TN-M=TN Middle



	HEDIS 2008	AZ	FL-NRF	FL-RF	MD	MI	NE	NJ	NY	PA-E	RI	TN-E	TN-M	WI	PA-W	OH
		HEDIS 2008														
CIS	Childhood Immunization Status - DTaP/DT	79.22%	78.59%	72.75%	83.29%	80.99%	64.30%	71.85%	71.53%	77.08%	85.06%	81.51%	NA	79.32%	77.37%	62.04%
	Childhood Immunization Status - IPV	89.73%	88.56%	78.83%	92.15%	92.45%	75.06%	82.47%	83.45%	88.54%	96.34%	91.00%	NA	91.48%	89.29%	72.51%
	Childhood Immunization Status - Measles, Mumps, Rubella	92.42%	91.48%	88.08%	94.18%	93.23%	88.02%	89.38%	86.62%	86.46%	94.21%	91.97%	NA	92.21%	89.05%	79.81%
	Childhood Immunization Status - H Influenza Type B Immunization	89.73%	89.54%	86.86%	92.66%	92.45%	75.55%	84.94%	86.13%	80.99%	93.90%	93.19%	NA	85.40%	88.56%	77.37%
	Childhood Immunization Status - Hepatitis B	92.18%	88.81%	79.81%	91.14%	94.01%	76.77%	86.91%	83.21%	86.46%	98.48%	92.94%	NA	88.56%	93.43%	76.16%
	Childhood Immunization Status - VZV	89.98%	91.97%	84.91%	93.42%	91.93%	87.04%	86.91%	78.10%	86.72%	93.29%	90.51%	NA	89.29%	89.05%	76.64%
	Childhood Immunization Status - Pneumococcal Conjugate	75.79%	66.67%	61.31%	79.24%	79.95%	64.06%	66.17%	60.58%	73.44%	87.80%	82.00%	NA	74.21%	73.97%	60.83%
	Childhood Immunization Status - Combo 2	75.06%	74.70%	61.80%	77.97%	78.65%	58.19%	62.72%	61.07%	68.23%	80.79%	76.89%	NA	69.10%	73.72%	56.45%
	Childhood Immunization Status - Combo 3	69.19%	61.56%	49.88%	72.15%	73.96%	52.81%	53.33%	51.09%	63.28%	78.05%	72.51%	NA	62.04%	66.18%	51.09%
BCS	Breast Cancer Screening (Age 42-51)	48.66%	38.46%	42.37%	46.29%	48.31%	49.59%	48.96%	59.76%	34.32%	58.51%	34.61%	NA	46.27%	43.24%	NR
	Breast Cancer Screening (Age 52-69)	55.19%	44.81%	55.64%	55.90%	57.25%	58.21%	54.84%	67.14%	43.68%	66.67%	44.54%	NA	49.57%	52.99%	NR
	Breast Cancer Screening (Total)	52.11%	42.25%	51.43%	51.45%	52.89%	53.78%	51.41%	63.28%	38.97%	59.64%	38.84%	9.38%	47.09%	47.65%	NR
CHL	Chlamydia Screening in Women (Age 16-20)	33.11%	47.68%	41.06%	46.04%	47.97%	60.32%	46.82%	40.46%	46.54%	48.68%	40.61%	NA	60.02%	40.94%	NR
	Chlamydia Screening in Women (Age 21-25)	35.06%	52.89%	55.31%	55.79%	56.98%	67.39%	55.27%	47.86%	46.47%	65.27%	42.26%	NA	64.94%	49.31%	NR
	Chlamydia Screening in Women (Total)	34.18%	50.33%	47.65%	48.56%	51.49%	63.68%	50.93%	45.00%	46.51%	56.32%	41.43%	NA	62.88%	45.10%	NR
CDC	Comprehensive Diabetes Care (HbA1c Testing)	79.56%	72.75%	72.99%	74.70%	84.18%	87.10%	87.10%	89.78%	68.13%	78.85%	77.37%	60.00%	80.05%	77.13%	NR
AAP	Adults' Access to Preventive (Age 20-44)	78.02%	69.93%	62.55%	73.81%	81.84%	89.78%	78.12%	82.61%	65.16%	89.52%	66.62%	89.52%	87.03%	79.53%	NR
	Adults' Access to Preventive (Age 45-64)	85.86%	84.32%	77.66%	85.32%	89.09%	91.48%	84.33%	88.45%	73.37%	89.70%	76.37%	89.70%	87.31%	84.18%	NR
	Adults' Access to Preventive (Age 65+)	84.97%	77.74%	58.48%	NA	85.53%	92.04%	80.25%	88.27%	76.82%	NA	61.67%	NA	84.16%	78.97%	NR
CAP	Children's Access to PCP (12-24 Months)	96.41%	96.07%	92.81%	95.85%	97.45%	98.52%	95.88%	95.49%	89.49%	98.57%	95.22%	NA	96.54%	94.97%	NR
	Children's Access to PCP (25 Months - 6 Years)	83.70%	87.87%	84.44%	90.76%	89.28%	88.74%	90.51%	92.66%	77.65%	92.32%	83.92%	70.59%	85.34%	85.05%	NR
	Children's Access to PCP (7-11 Years)	85.40%	81.74%	75.24%	92.07%	86.81%	85.74%	90.88%	93.72%	81.57%	94.63%	87.82%	NA	87.89%	88.05%	NR
	Adolescents' Access to PCP (12-19 Years)	84.45%	76.85%	65.36%	88.56%	86.34%	90.04%	87.37%	90.16%	77.48%	91.90%	83.54%	NA	83.74%	86.35%	NR
PPC	Timeliness of Prenatal Care	69.83%	76.64%	71.78%	91.67%	87.63%	86.53%	76.89%	74.45%	71.53%	81.46%	84.67%	84.43%	76.89%	85.40%	NR
	Postpartum Care	53.53%	58.88%	45.26%	64.32%	60.26%	62.59%	54.01%	56.93%	46.96%	57.07%	62.04%	63.02%	60.83%	59.12%	NR
W34	Well Child Visits in 3, 4, 5, 6 yr	59.75%	68.86%	70.56%	76.30%	77.97%	56.96%	71.48%	78.35%	66.67%	78.14%	58.74%	NA	60.16%	67.33%	NR
AWC	Adolescent Well Care Visits	42.34%	35.80%	35.04%	52.51%	57.82%	44.01%	51.09%	55.72%	47.17%	62.50%	34.06%	17.78%	35.72%	49.16%	NR
AMB	Ambulatory Care - ER Visits	57.49	64.88	56.13	54.68	69.13	65.96	49.05	24.85	61.37	51.90	95.13	77.62	66.88	71.68	NR
PPC	Timeliness of Prenatal Care	69.83%	76.64%	71.78%	91.67%	87.63%	86.53%	76.89%	74.45%	71.53%	81.46%	84.67%	84.43%	76.89%	85.40%	NA
	Postpartum Care	53.53%	58.88%	45.26%	64.32%	60.26%	62.59%	54.01%	56.93%	46.96%	57.07%	62.04%	63.02%	60.83%	59.12%	NA

WCC was not a HEDIS measure for HEDIS 2008; WCC was a first year measure for HEDIS 2009

TN-Middle: First Year Reporting based on partial year data

NA = denominator <30

NR = plan chose not to report

FL-NRF=FL Non-Reform

FL-RF=FL Reform

PA-E = PA East

PA-W= PA West

TN-E = TN East

TN-M=TN Middle