


First Quarter 2014

Vol. 12, No. 1



LOUISIANA
HIV/AIDS Surveillance
Quarterly Report
March 31, 2014

Louisiana Department of Health and Hospitals

Office of Public Health

STD/HIV Program (SHP)

1450 Poydras Street, Suite 2136

New Orleans, Louisiana 70112

504.568.7474

haprequest@la.gov

<http://dhh.louisiana.gov/hiv>

www.hiv411.org

Louisiana Office of Public Health
STD/HIV Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Jeffrey Hitt, M.Ed
Associate Director

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jessica Fridge, MSPH
Surveillance Manager

Editor/Production
Demerial Banks, MPH

Data Management/Analysis and Surveillance

Demerial Banks, MPH, Surveillance Epidemiologist

Tania Bechtel, Data Manager

Carmen Washington, Data Manager

Joseph Foxhood, BA, OPH IT Project Manager

George Stephens, Information Systems Administrator

Lakeesha Brumfield, Data Entry Specialist

Josette Russell, Data Entry Specialist

Billy Robinson, PhD, Biostatistician

Elliott Brannon, MPH, Perinatal Surveillance Coordinator

Rashad Arcement, MSPH, Incidence and Resistance Coordinator

Field Epidemiologists

Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard
Connie Gordon

Region 1
Regions 1, 3

Cheryl Edney, BS MT(ASCP)
Gayle Norris, MA
Gale Terry, LPN

Regions 4, 5, 6
Regions 7, 8
Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2004-2013)	40
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2004-2013)	41
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of March 31, 2014¹.

- In 2011, Louisiana ranked **3rd** in the nation for estimated HIV case rates (30.2 per 100,000 population) and 11th in the estimated number of HIV infection cases. The New Orleans MSA ranked **2nd** in the nation and the Baton Rouge MSA ranked **3rd** in the nation for estimated HIV case rates (43.0 and 41.6 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 23), for the first time, had a national comparison of estimated HIV case rates.
- According to the same report, Louisiana ranked **4th** highest in estimated state AIDS case rates (18.1 per 100,000) and 11th in the number of estimated AIDS cases in 2011. The Baton Rouge metropolitan area ranked **1st** in estimated AIDS case rates (29.4 per 100,000) and the New Orleans metropolitan area ranked **4th** in estimated AIDS case rates (25.3 per 100,000) in 2011 among the large metropolitan areas in the nation.
- A total of **19,618** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,710** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2013, of the persons who reported a risk factor, 72% reported being MSM, and an additional 2% reported being MSM and an injection drug user (IDU). As of March 31, 2014, 52% of all people living with HIV infection in Louisiana were MSM.
- In 2013, **1,363** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=466) occurred in Region 1 (New Orleans) and **20%** (n=272) occurred in Region 2 (Baton Rouge).
- In 2013, **744** new AIDS cases were diagnosed in Louisiana. Of these cases, **32%** (n=236) occurred in Region 1 (New Orleans) and **25%** (n=185) occurred in Region 2 (Baton Rouge).
- In Louisiana, **23%** of new HIV cases and **27%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2013, **69%** of newly diagnosed HIV cases and **75%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2013, **23%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **29%** occurred among persons 25-34 years old.
- As of March 31, 2014, a cumulative total of **34,655** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **340** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through March 31, 2014, is **14,783** including **115** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS

Louisiana
as of March 31, 2014

- **34,655** cumulative cases have been detected in Louisiana since the beginning of the epidemic, including **340** pediatric cases.
- **14,783** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **115** pediatric deaths.
- **19,618** persons are currently living with HIV/AIDS in Louisiana.
Persons living with HIV: **8,908**
Persons living with AIDS: **10,710**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	5,814	30 %
Men	13,804	70 %
Total	19,618	100%

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	58	<1 %
13 - 19	127	1 %
20 - 24	829	4 %
25 - 29	1,585	8 %
30 - 34	2,057	10 %
35 - 39	2,356	12 %
40 - 44	2,385	12 %
45- 49	2,792	14 %
50 - 54	3,092	16 %
55 - 59	2,196	11 %
60+	2,141	11 %
Total	19,618	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	8,615	4,806	13,421	68 %
White, Non-Hispanic	4,392	805	5,197	26 %
Hispanic	612	151	763	4 %
Asian/Pacific Islander	62	13	75	<1 %
American Indian	26	7	33	<1 %
Unknown	8	1	9	<1 %
Multi-race	89	31	120	1 %
Total	13,804	5,814	19,618	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	6,795	0	6,795	52 %
Injection drug use	1,104	659	1,763	13 %
Men who have sex with men and inject drugs	833	0	833	6 %
Heterosexual contact	1,106	2,344	3,450	26 %
Transfusion/Hemophilia	44	32	76	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	93	105	198	2 %
Total	9,975	3,141	13,116	100 %
<i>No Identified Risk</i>	<i>3,829</i>	<i>2,673</i>	<i>6,502</i>	

**Persons Living with AIDS
Louisiana
as of March 31, 2014**

- **23,405** cumulative AIDS cases have been diagnosed in Louisiana since the beginning of the epidemic, including **183** pediatric cases.
- **10,710** persons are currently living with AIDS in Louisiana.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	3,018	28 %
Men	7,692	72 %
Total	10,710	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
0 - 12	10	<1 %	Black, Non-Hispanic	4,841	2,527	7,368	69 %
13 - 19	31	<1 %	White, Non-Hispanic	2,440	378	2,818	26 %
20 - 24	218	2 %	Hispanic	322	93	415	4 %
25 - 29	500	5 %	Asian/Pacific Islander	27	5	32	<1 %
30 - 34	902	8 %	American Indian	9	2	11	<1 %
35 - 39	1,176	11 %	Multi-race	53	13	66	1 %
40 - 44	1,372	13 %	Total	7,692	3,018	10,710	100 %
45 - 49	1,730	16 %					
50 - 54	1,967	18 %					
55 - 59	1,423	13 %					
60+	1,381	13 %					
Total	10,710	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	3,637	0	3,637	49 %
Injection drug use	758	377	1,135	15 %
Men who have sex with men and inject drugs	568	0	568	8 %
Heterosexual contact	680	1,253	1,933	26 %
Transfusion/Hemophilia	31	23	54	1 %
Perinatal	39	45	84	1 %
Total	5,713	1,698	7,411	100 %
<i>No Identified Risk</i>	<i>1,979</i>	<i>1,320</i>	<i>3,299</i>	

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2013

• **1,363** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	1,045	77 %	Black, Non-Hispanic	944	69 %
Women	318	23 %	White, Non-Hispanic	335	25 %
Total	1,363	100 %	Hispanic	63	5 %
			Asian/Pacific Islander	10	1 %
			American Indian	6	<1 %
			Unknown	1	<1 %
			Multi-race	4	<1 %
			Total	1,363	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	553	72 %
13 - 24	320	23 %	Injection drug use	46	6 %
25 - 34	391	29 %	Men who have sex with men and inject drugs	17	2 %
35 - 44	298	22 %	Heterosexual contact	146	19 %
45+	353	26 %	Perinatal	1	<1 %
Total	1,363	100 %	Total	763	100 %

<i>No Identified Risk</i>	600
---------------------------	-----

AIDS CASES DIAGNOSED January - December 2013

• **744** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	543	73 %	Black, Non-Hispanic	556	75 %
Women	201	27 %	White, Non-Hispanic	152	20 %
Total	744	100 %	Hispanic	30	4 %
			Asian/Pacific Islander	4	1 %
			Multi-race	2	<1 %
			Total	744	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	244	59 %
13 - 24	75	10 %	Injection drug use	45	11 %
25 - 34	201	27 %	Men who have sex with men and inject drugs	11	3 %
35 - 44	213	29 %	Heterosexual contact	110	27 %
45+	254	34 %	Transfusion/Hemophilia	2	<1 %
Total	744	100 %	Perinatal	3	1 %
			Total	415	100 %

<i>No Identified Risk</i>	329
---------------------------	-----

**Persons Living with HIV/AIDS
as of March 31, 2014**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	116	Sabine	22
Allen	268	St. Bernard	172
Ascension	218	St. Charles	102
Assumption	26	St. Helena	20
Avoyelles	176	St. James	78
Beauregard	45	St. John the Baptist	158
Bienville	31	St. Landry	262
Bossier	184	St. Martin	110
Caddo	1,029	St. Mary	78
Calcasieu	655	St. Tammany	413
Caldwell	19	Tangipahoa	373
Cameron	2	Tensas	37
Catahoula	29	Terrebonne	210
Claiborne	59	Union	30
Concordia	44	Vermilion	93
De Soto	55	Vernon	64
East Baton Rouge	3,811	Washington	186
East Carroll	32	Webster	74
East Feliciana	160	West Baton Rouge	96
Evangeline	75	West Carroll	12
Franklin	40	West Feliciana	176
Grant	37	Winn	46
Iberia	114		
Iberville	384		
Jackson	30		
Jefferson	1,805		
Jefferson Davis	59		
La Salle	28		
Lafayette	703		
Lafourche	140		
Lincoln	92		
Livingston	203		
Madison	35		
Morehouse	63		
Natchitoches	119		
Orleans	4,727		
Ouachita	594		
Plaquemines	35		
Pointe Coupee	57		
Rapides	448		
Red River	13		
Richland	44		
		Total	19,618

**Persons Living with AIDS
as of March 31, 2014**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	71	St. Bernard	109
Allen	148	St. Charles	51
Ascension	116	St. Helena	12
Assumption	11	St. James	42
Avoyelles	94	St. John the Baptist	92
Beauregard	28	St. Landry	154
Bienville	17	St. Martin	63
Bossier	94	St. Mary	43
Caddo	528	St. Tammany	224
Calcasieu	378	Tangipahoa	204
Caldwell	7	Tensas	17
Catahoula	16	Terrebonne	121
Claiborne	32	Union	23
Concordia	25	Vermilion	53
De Soto	25	Vernon	34
East Baton Rouge	2,115	Washington	96
East Carroll	17	Webster	33
East Feliciana	90	West Baton Rouge	54
Evangeline	39	West Carroll	8
Franklin	15	West Feliciana	104
Grant	18	Winn	26
Iberia	67		
Iberville	235		
Jackson	18		
Jefferson	994		
Jefferson Davis	30		
La Salle	12		
Lafayette	359		
Lafourche	84		
Lincoln	49		
Livingston	114		
Madison	16		
Morehouse	38		
Natchitoches	58		
Orleans	2,556		
Ouachita	301		
Plaquemines	27		
Pointe Coupee	39		
Rapides	213		
Red River	10		
Richland	28		
Sabine	15		
		Total	10,710

**Persons Living with HIV/AIDS
Metro New Orleans
as of March 31, 2014**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **16,003** cumulative cases have been detected in the New Orleans MSA since the beginning of the epidemic, including **162** pediatric cases.
- **6,888** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **55** pediatric deaths
- **7,490** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,395**
Persons living with AIDS: **4,095**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	1,959	26 %
Men	5,531	74 %
Total	7,490	100 %

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	21	<1 %
13 - 19	40	1 %
20 - 24	297	4 %
25 - 29	606	8 %
30 - 34	741	10 %
35 - 39	858	11 %
40 - 44	865	12 %
45 - 49	1,065	14 %
50 - 54	1,197	16 %
55 - 59	877	12 %
60+	923	12 %
Total	7,490	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	3,030	1,607	4,637	62 %
White, Non-Hispanic	2,088	234	2,322	31 %
Hispanic	335	103	438	6 %
Asian/Pacific Islander	33	7	40	1 %
American Indian	8	0	8	<1 %
Unknown	4	1	5	<1 %
Multi-race	33	7	40	1 %
Total	5,531	1,959	7,490	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	3,028	0	3,028	59 %
Injection drug use	336	207	543	11 %
Men who have sex with men and inject drugs	306	0	306	6 %
Heterosexual contact	350	785	1,135	22 %
Transfusion/Hemophilia	20	15	35	1 %
Perinatal	32	43	75	1 %
Total	4,072	1,050	5,122	100 %
<i>No Identified Risk</i>	<i>1,459</i>	<i>909</i>	<i>2,368</i>	

Persons Living with AIDS
Metro New Orleans
as of March 31, 2014

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,926** cumulative AIDS cases have been diagnosed in the New Orleans MSA since the beginning of the epidemic, including **85** pediatric cases.
- **4,095** persons are currently living with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	1,066	26 %
Men	3,029	74 %
Total	4,095	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	1,660	881	2,541	62 %
13 - 19	11	<1 %	White, Non-Hispanic	1,145	106	1,251	31 %
20 - 24	75	2 %	Hispanic	186	72	258	6 %
25 - 29	175	4 %	Asian/Pacific Islander	14	4	18	<1 %
30 - 34	324	8 %	American Indian	2	0	2	<1 %
35 - 39	420	10 %	Multi-race	22	3	25	1 %
40 - 44	500	12 %	Total	3,029	1,066	4,095	100 %
45 - 49	651	16 %					
50 - 54	774	19 %					
55 - 59	577	14 %					
60+	586	14 %					
Total	4,095	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	1,618	0	1,618	56 %
Injection drug use	215	118	333	12 %
Men who have sex with men and inject drugs	205	0	205	7 %
Heterosexual contact	226	446	672	23 %
Transfusion/Hemophilia	15	11	26	1 %
Perinatal	12	20	32	1 %
Total	2,291	595	2,886	100 %
<i>No Identified Risk</i>	<i>738</i>	<i>471</i>	<i>1,209</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2013

- 523 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	421	80 %	Black, Non-Hispanic	341	65 %
Women	102	20 %	White, Non-Hispanic	142	27 %
Total	523	100 %	Hispanic	30	6 %
			Asian/Pacific Islander	7	1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	523	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	121	23 %	Men who have sex with men	257	76 %
25 - 34	166	32 %	Injection drug use	15	4 %
35 - 44	110	21 %	Men who have sex with men and inject drugs	6	2 %
45+	126	24 %	Heterosexual contact	60	18 %
Total	523	100 %	Total	338	100 %
			<i>No Identified Risk</i>	<i>185</i>	

AIDS CASES DIAGNOSED January - December 2013

- 270 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	200	74 %	Black, Non-Hispanic	181	67 %
Women	70	26 %	White, Non-Hispanic	64	24 %
Total	270	100 %	Hispanic	21	8 %
			Asian/Pacific Islander	3	1 %
			Multi-race	1	<1 %
			Total	270	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	29	11 %	Men who have sex with men	107	64 %
25 - 34	71	26 %	Injection drug use	16	10 %
35 - 44	75	28 %	Heterosexual contact	44	26 %
45+	95	35 %	Transfusion/Hemophilia	1	1 %
Total	270	100 %	Total	168	100 %
			<i>No Identified Risk</i>	<i>102</i>	

**Persons Living with HIV/AIDS
Metro Baton Rouge
as of March 31, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **7,921** cumulative cases have been detected in the Baton Rouge MSA since the beginning of the epidemic, including **78** pediatric cases.
- **3,369** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **20** pediatric deaths.
- **5,125** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
Persons living with HIV: **2,246**
Persons living with AIDS: **2,879**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	1,833	36 %
Men	3,292	64 %
Total	5,125	100 %

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	21	<1 %
13 - 19	37	1 %
20 - 24	213	4 %
25 - 29	395	8 %
30 - 34	611	12 %
35 - 39	656	13 %
40 - 44	683	13%
45 - 49	698	14 %
50 - 54	776	15 %
55 - 59	518	10 %
60+	517	10 %
Total	5,125	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	2,573	1,643	4,216	82 %
White, Non-Hispanic	639	162	801	16 %
Hispanic	51	15	66	1 %
Asian/Pacific Islander	9	3	12	<1 %
American Indian	2	1	3	<1 %
Multi-race	18	9	27	1 %
Total	3,292	1,833	5,125	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	1,304	0	1,304	41 %
Injection drug use	400	225	625	20 %
Men who have sex with men and inject drugs	202	0	202	6 %
Heterosexual contact	332	667	999	31 %
Transfusion/Hemophilia	6	8	14	<1 %
Perinatal	29	29	58	2 %
Total	2,273	929	3,202	100 %
<i>No Identified Risk</i>	<i>1,019</i>	<i>904</i>	<i>1,923</i>	

**Persons Living with AIDS
Metro Baton Rouge
as of March 31, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,397** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA since the beginning of the epidemic, including **35** pediatric cases.
- **2,879** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	953	33 %
Men	1,926	67 %
Total	2,879	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
0 - 12	4	<1 %	Black, Non-Hispanic	1,538	871	2,409	84 %
13 - 19	8	<1 %	White, Non-Hispanic	345	72	417	14 %
20 - 24	63	2 %	Hispanic	28	8	36	1 %
25 - 29	139	5 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	279	10 %	American Indian	2	0	2	<1 %
35 - 39	336	12 %	Multi-race	10	2	12	<1 %
40 - 44	400	14 %	Total	1,926	953	2,879	100 %
45 - 49	451	16 %					
50 - 54	509	18 %					
55 - 59	346	12 %					
60+	344	12 %					
Total	2,879	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	704	0	704	37 %
Injection drug use	305	140	445	24 %
Men who have sex with men and inject drugs	141	0	141	7 %
Heterosexual contact	209	356	565	30 %
Transfusion/Hemophilia	4	6	10	1 %
Perinatal	10	9	19	1 %
Total	1,373	511	1,884	100 %
<i>No Identified Risk</i>	<i>553</i>	<i>442</i>	<i>995</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro Baton Rouge**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

HIV CASES DIAGNOSED January - December 2013

- 288 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	205	71 %	Black, Non-Hispanic	240	83 %
Women	83	29 %	White, Non-Hispanic	42	15 %
Total	288	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	288	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	99	68 %
13 - 24	78	27 %	Injection drug use	10	7 %
25 - 34	76	26 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	64	22 %	Heterosexual contact	31	21 %
45+	69	24 %	Perinatal	1	1 %
Total	288	100 %	Total	145	100 %
			<i>No Identified Risk</i>	<i>143</i>	

AIDS CASES DIAGNOSED January - December 2013

- 195 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	139	71 %	Black, Non-Hispanic	174	89 %
Women	56	29 %	White, Non-Hispanic	19	10 %
Total	195	100 %	Hispanic	1	1 %
			Multi-race	1	1 %
			Total	195	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	1 %	Men who have sex with men	48	46 %
13 - 24	17	9 %	Injection drug use	17	16 %
25 - 34	55	28 %	Men who have sex with men and inject drugs	5	5 %
35 - 44	57	29 %	Heterosexual contact	33	31 %
45+	65	33 %	Perinatal	2	2 %
Total	195	100 %	Total	105	100 %
			<i>No Identified Risk</i>	<i>90</i>	

Persons Living with HIV/AIDS

Region 1: New Orleans Region

as of March 31, 2014

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **14,969** cumulative cases have been detected in Region 1 since the beginning of the epidemic, including **144** pediatric cases.
- **6,467** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **50** pediatric deaths.
- **6,739** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **3,053**
Persons living with AIDS: **3,686**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	1,752	26 %
Men	4,987	74 %
Total	6,739	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	15	<1 %	Black, Non-Hispanic	2,795	1,466	4,261	63 %
13 - 19	36	1 %	White, Non-Hispanic	1,803	177	1,980	29 %
20 - 24	259	4 %	Hispanic	319	96	415	6 %
25 - 29	540	8 %	Asian/Pacific Islander	31	5	36	1 %
30 - 34	675	10 %	American Indian	7	0	7	<1 %
35 - 39	773	11 %	Unknown	4	1	5	<1 %
40 - 44	777	12 %	Multi-race	28	7	35	1 %
45 - 49	959	14 %	Total	4,987	1,752	6,739	100 %
50 - 54	1,069	16 %					
55 - 59	792	12 %					
60+	844	13 %					
Total	6,739	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	2,714	0	2,714	59 %
Injection drug use	310	189	499	11 %
Men who have sex with men and inject drugs	282	0	282	6 %
Heterosexual contact	319	709	1,028	22 %
Transfusion/Hemophilia	17	15	32	1 %
Perinatal	25	35	60	1 %
Total	3,667	948	4,615	100 %
<i>No Identified Risk</i>	<i>1,320</i>	<i>804</i>	<i>2,124</i>	

Persons Living with AIDS
Region 1: New Orleans Region
as of March 31, 2014

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

• **10,212** cumulative AIDS cases have been diagnosed in Region 1 since the beginning of the epidemic, including **76** pediatric cases.

• **3,686** persons are currently living with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	965	26 %
Men	2,721	74 %
Total	3,686	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	1,525	812	2,337	63 %
13 - 19	9	<1 %	White, Non-Hispanic	987	80	1,067	29 %
20 - 24	62	2 %	Hispanic	176	68	244	7 %
25 - 29	152	4 %	Asian/Pacific Islander	13	2	15	<1 %
30 - 34	304	8 %	American Indian	1	0	1	<1 %
35 - 39	370	10 %	Multi-race	19	3	22	1 %
40 - 44	452	12 %	Total	2,721	965	3,686	100 %
45 - 49	588	16 %					
50 - 54	695	19 %					
55 - 59	524	14 %					
60+	528	14 %					
Total	3,686	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,446	0	1,446	56 %
Injection drug use	198	109	307	12 %
Men who have sex with men and inject drugs	191	0	191	7 %
Heterosexual contact	203	408	611	23 %
Transfusion/Hemophilia	12	11	23	1 %
Perinatal	8	17	25	1 %
Total	2,058	545	2,603	100 %
<i>No Identified Risk</i>	<i>663</i>	<i>420</i>	<i>1,083</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2013**

- 466 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	377	81 %	Black, Non-Hispanic	304	65 %
Women	89	19 %	White, Non-Hispanic	122	26 %
Total	466	100 %	Hispanic	30	6 %
			Asian/Pacific Islander	7	2 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			Total	466	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	108	23 %	Men who have sex with men	228	75 %
25 - 34	151	32 %	Injection drug use	14	5 %
35 - 44	99	21 %	Men who have sex with men and inject drugs	6	2 %
45+	108	23 %	Heterosexual contact	57	19 %
Total	466	100 %	Total	305	100 %
			<i>No Identified Risk</i>	<i>161</i>	

AIDS CASES DIAGNOSED January - December 2013

- 236 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	175	74 %	Black, Non-Hispanic	159	67 %
Women	61	26 %	White, Non-Hispanic	55	23 %
Total	236	100 %	Hispanic	19	8 %
			Asian/Pacific Islander	3	1 %
			Total	236	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	26	11 %	Men who have sex with men	89	61 %
25 - 34	64	27 %	Injection drug use	14	10 %
35 - 44	64	27 %	Heterosexual contact	41	28 %
45+	82	35 %	Transfusion/Hemophilia	1	1 %
Total	236	100 %	Total	145	100 %
			<i>No Identified Risk</i>	<i>91</i>	

**Persons Living with HIV/AIDS
Region 2: Baton Rouge Region
as of March 31, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **7,643** cumulative cases have been detected in Region 2 since the beginning of the epidemic, including **73** pediatric cases.
- **3,250** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **17** pediatric deaths.
- **4,902** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,149**
Persons living with AIDS: **2,753**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	1,766	36 %
Men	3,136	64 %
Total	4,902	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	20	<1 %	Black, Non-Hispanic	2,513	1,616	4,129	84 %
13 - 19	36	1 %	White, Non-Hispanic	546	125	671	14 %
20 - 24	206	4 %	Hispanic	48	13	61	1 %
25 - 29	384	8 %	Asian/Pacific Islander	9	2	11	<1 %
30 - 34	596	12 %	American Indian	2	1	3	<1 %
35 - 39	625	13 %	Multi-race	18	9	27	1 %
40 - 44	647	13 %	Total	3,136	1,766	4,902	100 %
45 - 49	659	13 %					
50 - 54	739	15 %					
55 - 59	495	10 %					
60+	495	10 %					
Total	4,902	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	1,225	0	1,225	40 %
Injection drug use	383	215	598	20 %
Men who have sex with men and inject drugs	194	0	194	6 %
Heterosexual contact	318	641	959	32 %
Transfusion/Hemophilia	4	8	12	<1 %
Perinatal	28	27	55	2 %
Total	2,152	891	3,043	100%
<i>No Identified Risk</i>	<i>984</i>	<i>875</i>	<i>1,859</i>	

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of March 31, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **5,212** cumulative AIDS cases have been diagnosed in Region 2 since the beginning of the epidemic, including **33** pediatric cases.
- **2,753** persons are currently living with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	916	33 %
Men	1,837	67 %
Total	2,753	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	4	<1 %	Black, Non-Hispanic	1,501	851	2,352	85 %
13 - 19	8	<1 %	White, Non-Hispanic	295	57	352	13 %
20 - 24	60	2 %	Hispanic	26	6	32	1 %
25 - 29	135	5 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	271	10 %	American Indian	2	0	2	<1 %
35 - 39	319	12 %	Multi-race	10	2	12	<1 %
40 - 44	380	14 %	Total	1,837	916	2,753	100 %
45 - 49	426	15 %					
50 - 54	488	18 %					
55 - 59	330	12 %					
60+	332	12 %					
Total	2,753	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	659	0	659	37 %
Injection drug use	291	136	427	24 %
Men who have sex with men and inject drugs	136	0	136	8 %
Heterosexual contact	200	343	543	30 %
Transfusion/Hemophilia	3	6	9	1 %
Perinatal	10	8	18	1 %
Total	1,299	493	1,792	100 %
<i>No Identified Risk</i>	<i>538</i>	<i>423</i>	<i>961</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2013**

- 272 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	192	71 %	Black, Non-Hispanic	232	85 %
Women	80	29 %	White, Non-Hispanic	34	12 %
Total	272	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	272	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	89	66 %
13 - 24	77	28 %	Injection drug use	10	7 %
25 - 34	75	28 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	54	20 %	Heterosexual contact	30	22 %
45+	65	24 %	Perinatal	1	1 %
Total	272	100 %	Total	134	100 %

No Identified Risk 138

AIDS CASES DIAGNOSED January - December 2013

- 185 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	130	70 %	Black, Non-Hispanic	169	91 %
Women	55	30 %	White, Non-Hispanic	14	8 %
Total	185	100 %	Hispanic	1	1 %
			Multi-race	1	1 %
			Total	185	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	1 %	Men who have sex with men	42	43 %
13 - 24	16	9 %	Injection drug use	17	18 %
25 - 34	54	29 %	Men who have sex with men and inject drugs	4	4 %
35 - 44	52	28 %	Heterosexual contact	32	33 %
45+	62	34 %	Perinatal	2	2 %
Total	185	100 %	Total	97	100 %

No Identified Risk 88

**Persons Living with HIV/AIDS
Region 3: Houma Region
as of March 31, 2014**

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **1,181** cumulative cases have been detected in Region 3 since the beginning of the epidemic, including **18** pediatric cases.
- **530** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **792** persons are currently living with HIV/AIDS in Region 3.
Persons living with HIV: **348**
Persons living with AIDS: **444**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	257	32 %
Men	535	68 %
Total	792	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
0 - 12	3	<1 %	Black, Non-Hispanic	282	193	475	60 %
13 - 19	7	1 %	White, Non-Hispanic	227	55	282	36 %
20 - 24	42	5 %	Hispanic	19	5	24	3 %
25 - 29	89	11 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	85	11 %	American Indian	1	1	2	<1 %
35 - 39	88	11 %	Multi-race	4	2	6	1 %
40 - 44	95	12 %	Total	535	257	792	100 %
45 - 49	102	13 %					
50 - 54	120	15 %					
55 - 59	80	10 %					
60+	81	10 %					
Total	792	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	311	0	311	57 %
Injection drug use	35	18	53	10 %
Men who have sex with men and inject drugs	15	0	15	3 %
Heterosexual contact	36	119	155	28 %
Perinatal	8	7	15	3 %
Total	405	144	549	100 %
<i>No Identified Risk</i>	<i>135</i>	<i>113</i>	<i>243</i>	

Persons Living with AIDS**Region 3: Houma Region****as of March 31, 2014***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

• **867** cumulative AIDS cases have been diagnosed in Region 3 since the beginning of the epidemic, including **10** pediatric cases.

• **444** persons are currently living with AIDS in Region 3.

<u>Gender</u>	Cases	Percent
Women	132	30 %
Men	312	70 %
Total	444	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent	Men	Women	Total	Percent	
13 - 19	2	<1 %	164	104	268	60 %	
20 - 24	12	3 %	129	23	152	34 %	
25 - 29	34	8 %	15	2	17	4 %	
30 - 34	33	7 %	1	1	2	<1 %	
35 - 39	50	11 %	1	1	2	<1 %	
40 - 44	50	11 %	2	1	3	1 %	
45 - 49	65	15 %	Total	312	132	444	100 %
50 - 54	81	18 %					
55 - 59	61	14 %					
60+	56	13 %					
Total	444	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	172	0	172	55 %
Injection drug use	28	9	37	12 %
Men who have sex with men and inject drugs	11	0	11	4 %
Heterosexual contact	23	60	83	27 %
Perinatal	4	4	8	3 %
Total	238	73	311	100 %
<i>No Identified Risk</i>	<i>74</i>	<i>59</i>	<i>133</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 3: Houma Region

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

HIV CASES DIAGNOSED January - December 2013

- 64 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	46	72 %	Black, Non-Hispanic	39	61 %
Women	18	28 %	White, Non-Hispanic	24	38 %
Total	64	100 %	Hispanic	1	2 %
			Total	64	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	20 %	Men who have sex with men	30	73 %
25 - 34	18	28 %	Injection drug use	1	2 %
35 - 44	9	14 %	Heterosexual contact	10	24 %
45+	24	38 %	Total	41	100 %
Total	64	100 %	<i>No Identified Risk</i>	23	

AIDS CASES DIAGNOSED January - December 2013

- 43 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	79 %	Black, Non-Hispanic	30	70 %
Women	9	21 %	White, Non-Hispanic	11	26 %
Total	43	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	12 %	Men who have sex with men	20	71 %
25 - 34	7	16 %	Heterosexual contact	8	29 %
35 - 44	13	30 %	Total	28	100 %
45+	18	42 %	<i>No Identified Risk</i>	15	
Total	43	100 %			

Persons Living with HIV/AIDS
Region 4: Lafayette Region
as of March 31, 2014

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- **2,225** cumulative cases have been detected in Region 4 since the beginning of the epidemic, including **17** pediatric cases.
- **1,007** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,473** persons are currently living with HIV/AIDS in Region 4.
 Persons living with HIV: **667**
 Persons living with AIDS: **806**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	375	25 %
Men	1,098	75 %
Total	1,473	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	569	264	833	57 %
13 - 19	6	<1 %	White, Non-Hispanic	457	101	558	38 %
20 - 24	60	4 %	Hispanic	54	3	57	4 %
25 - 29	110	7 %	Asian/Pacific Islander	2	2	4	<1 %
30 - 34	131	9 %	American Indian	2	2	4	<1 %
35 - 39	148	10 %	Unknown	1	0	1	<1 %
40 - 44	163	11 %	Multi-race	13	3	16	1 %
45 - 49	242	16 %	Total	1,098	375	1,473	100 %
50 - 54	268	18 %					
55 - 59	177	12 %					
60+	166	11 %					
Total	1,473	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	535	0	535	55 %
Injection drug use	74	52	126	13 %
Men who have sex with men and inject drugs	61	0	61	6 %
Heterosexual contact	69	160	229	24 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	5	5	10	1 %
Total	749	219	968	100 %
<i>No Identified Risk</i>	<i>349</i>	<i>156</i>	<i>505</i>	

**Persons Living with AIDS
Region 4: Lafayette Region
as of March 31, 2014**

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

• **1,489** cumulative AIDS cases have been diagnosed in Region 4 since the beginning of the epidemic, including **14** pediatric cases.

• **806** persons are currently living with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	189	23 %
Men	617	77 %
Total	806	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
0 - 12	1	<1 %	314	137	451	56 %	
13 - 19	2	<1 %	268	47	315	39 %	
20 - 24	18	2 %	26	1	27	3 %	
25 - 29	37	5 %	1	1	2	<1 %	
30 - 34	66	8 %	0	1	1	<1 %	
35 - 39	77	10 %	8	2	10	1 %	
40 - 44	90	11 %	Total	617	189	806	100 %
45 - 49	140	17 %					
50 - 54	162	20 %					
55 - 59	109	14 %					
60+	104	13 %					
Total	806	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	308	0	308	55 %
Injection drug use	52	26	78	14 %
Men who have sex with men and inject drugs	43	0	43	8 %
Heterosexual contact	33	86	119	21 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	3	5	8	1 %
Total	442	118	560	100 %
<i>No Identified Risk</i>	<i>175</i>	<i>71</i>	<i>246</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2013**

- 107 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	83	78 %	Black, Non-Hispanic	69	64 %
Women	24	22 %	White, Non-Hispanic	33	31 %
Total	107	100 %	Hispanic	5	5 %
			Total	107	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	24	22 %	Men who have sex with men	32	70 %
25 - 34	28	26 %	Injection drug use	3	7 %
35 - 44	18	17 %	Men who have sex with men and inject drugs	1	2 %
45+	37	35 %	Heterosexual contact	10	22 %
Total	107	100 %	Total	46	100 %
			<i>No Identified Risk</i>	<i>61</i>	

AIDS CASES DIAGNOSED January - December 2013

- 61 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	72 %	Black, Non-Hispanic	43	70 %
Women	17	28 %	White, Non-Hispanic	16	26 %
Total	61	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	61	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	16 %	Men who have sex with men	16	50 %
25 - 34	12	20 %	Injection drug use	6	19 %
35 - 44	11	18 %	Men who have sex with men and inject drugs	1	3 %
45+	28	46 %	Heterosexual contact	8	25 %
Total	61	100 %	Perinatal	1	3 %
			Total	32	100 %
			<i>No Identified Risk</i>	<i>29</i>	

**Persons Living with HIV/AIDS
Region 5: Lake Charles Region
as of March 31, 2014**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **1,374** cumulative cases have been detected in Region 5 since the beginning of the epidemic, including **10** pediatric cases.
- **544** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **1,029** persons are currently living with HIV/AIDS in Region 5.
Persons living with HIV: **445**
Persons living with AIDS: **584**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	247	24 %
Men	782	76 %
Total	1,029	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	3	<1 %	Black, Non-Hispanic	428	169	597	58 %
13 - 19	4	<1 %	White, Non-Hispanic	259	68	327	32 %
20 - 24	32	3 %	Hispanic	78	5	83	8 %
25 - 29	71	7 %	Asian/Pacific Islander	6	0	6	1 %
30 - 34	94	9 %	American Indian	3	0	3	<1 %
35 - 39	127	12 %	Multi-race	8	5	13	1 %
40 - 44	136	13 %	Total	782	247	1,029	100 %
45 - 49	175	17 %					
50 - 54	173	17 %					
55 - 59	124	12 %					
60+	90	9 %					
Total	1,029	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	340	0	340	45 %
Injection drug use	92	41	133	18 %
Men who have sex with men and inject drugs	71	0	71	9 %
Heterosexual contact	90	109	199	26 %
Transfusion/Hemophilia	2	0	2	<1 %
Perinatal	4	6	10	1 %
Total	599	156	755	100 %
<i>No Identified Risk</i>	183	91	274	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of March 31, 2014**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **947** cumulative AIDS cases have been diagnosed in Region 5 since the beginning of the epidemic, including **6** pediatric cases.
- **584** persons are currently living with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	122	21 %
Men	462	79 %
Total	584	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	255	82	337	58 %
13 - 19	1	<1 %	White, Non-Hispanic	162	36	198	34 %
20 - 24	8	1 %	Hispanic	38	2	40	7 %
25 - 29	29	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	44	8 %	Multi-race	5	2	7	1 %
35 - 39	66	11 %	Total	462	122	584	100 %
40 - 44	82	14 %					
45 - 49	116	20 %					
50 - 54	108	18 %					
55 - 59	70	12 %					
60+	58	10 %					
Total	584	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	207	0	207	46 %
Injection drug use	62	22	84	19 %
Men who have sex with men and inject drugs	50	0	50	11 %
Heterosexual contact	52	50	102	23 %
Transfusion/Hemophilia	1	0	1	<1 %
Perinatal	3	2	5	1 %
Total	375	74	449	100 %
<i>No Identified Risk</i>	87	48	135	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2013**

- 49 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	35	71 %	Black, Non-Hispanic	28	57 %
Women	14	29 %	White, Non-Hispanic	20	41 %
Total	49	100 %	Asian/Pacific Islander	1	2 %
			Total	49	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	7	14 %	Men who have sex with men	13	46 %
25 - 34	9	18 %	Injection drug use	5	18 %
35 - 44	12	24 %	Men who have sex with men and inject drugs	2	7 %
45+	21	43 %	Heterosexual contact	8	29 %
Total	49	100 %	Total	28	100 %

No Identified Risk

21

AIDS CASES DIAGNOSED January - December 2013

- 28 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	22	79 %	Black, Non-Hispanic	17	61 %
Women	6	21 %	White, Non-Hispanic	11	39 %
Total	28	100 %	Total	28	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	11 %	Men who have sex with men	9	47 %
25 - 34	8	29 %	Injection drug use	3	16 %
35 - 44	8	29 %	Men who have sex with men and inject drugs	1	5 %
45+	9	32 %	Heterosexual contact	6	32 %
Total	28	100 %	Total	19	100 %

No Identified Risk

9

**Persons Living with HIV/AIDS
Region 6: Alexandria Region
as of March 31, 2014**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **1,507** cumulative cases have been detected in Region 6 since the beginning of the epidemic, including **15** pediatric cases.
- **550** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **5** pediatric deaths.
- **872** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **434**
Persons living with AIDS: **438**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	270	31 %
Men	602	69 %
Total	872	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	3	<1 %	Black, Non-Hispanic	384	212	596	68 %
13 - 19	5	1 %	White, Non-Hispanic	171	48	219	25 %
20 - 24	33	4 %	Hispanic	41	7	48	6 %
25 - 29	66	8 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	80	9 %	American Indian	0	1	1	<1 %
35 - 39	124	14 %	Multi-race	3	2	5	1 %
40 - 44	105	12 %	Total	602	270	872	100 %
45 - 49	121	14 %					
50 - 54	142	16 %					
55 - 59	108	12 %					
60+	85	10 %					
Total	872	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	243	0	243	42 %
Injection drug use	45	22	87	15 %
Men who have sex with men and inject drugs	37	0	37	6 %
Heterosexual contact	66	131	197	34 %
Transfusion/Hemophilia	6	2	8	1 %
Perinatal	5	4	9	2 %
Total	422	159	581	100 %
<i>No Identified Risk</i>	<i>180</i>	<i>111</i>	<i>291</i>	

Persons Living with AIDS
Region 6: Alexandria Region
as of March 31, 2014

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

• **914** cumulative AIDS cases have been diagnosed in Region 6 since the beginning of the epidemic, including **6** pediatric cases.

• **438** persons are currently living with AIDS in Region 6.

Gender	Cases	Percent
Women	131	30 %
Men	307	70 %
Total	438	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	205	105	310	71 %
13 - 19	1	<1 %	White, Non-Hispanic	86	24	110	25 %
20 - 24	7	2 %	Hispanic	14	1	15	3 %
25 - 29	18	4 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	33	8 %	Multi-race	1	1	2	<1 %
35 - 39	50	11 %	Total	307	131	438	100 %
40 - 44	54	12 %					
45 - 49	78	18 %					
50 - 54	76	17 %					
55 - 59	63	14 %					
60+	57	13 %					
Total	438	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	118	0	118	40 %
Injection drug use	34	12	46	15 %
Men who have sex with men and inject drugs	29	0	29	10 %
Heterosexual contact	32	65	97	33 %
Transfusion/Hemophilia	4	1	5	2 %
Perinatal	1	2	3	1 %
Total	218	80	298	100 %
<i>No Identified Risk</i>	<i>89</i>	<i>51</i>	<i>140</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

HIV CASES DIAGNOSED January - December 2013

- 86 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	68	79 %	Black, Non-Hispanic	44	51 %
Women	18	21 %	White, Non-Hispanic	24	28 %
Total	86	100 %	Hispanic	18	21 %
			Total	86	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	11	13 %	Men who have sex with men	24	71 %
25 - 34	24	28 %	Injection drug use	2	6 %
35 - 44	29	34 %	Heterosexual contact	8	24 %
45+	22	26 %	Total	34	100 %
Total	86	100 %	<i>No Identified Risk</i>	<i>52</i>	

AIDS CASES DIAGNOSED January - December 2013

- 30 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	20	67 %	Black, Non-Hispanic	18	60 %
Women	10	33 %	White, Non-Hispanic	10	33 %
Total	30	100 %	Hispanic	2	7 %
			Total	30	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	7 %	Men who have sex with men	3	43 %
25 - 34	9	30 %	Injection drug use	1	14 %
35 - 44	11	37 %	Heterosexual contact	2	29 %
45+	8	27 %	Transfusion/Hemophilia	1	14 %
Total	30	100 %	Total	7	100 %
			<i>No Identified Risk</i>	<i>23</i>	

Persons Living with HIV/AIDS**Region 7: Shreveport Region**

as of March 31, 2014

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **2,420** cumulative cases have been detected in Region 7 since the beginning of the epidemic, including **27** pediatric cases.
- **1,063** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **12** pediatric deaths.
- **1,586** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **774**
Persons living with AIDS: **812**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	469	30 %
Men	1,117	70 %
Total	1,586	100%

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %
13 - 19	15	1 %
20 - 24	108	7 %
25 - 29	172	11 %
30 - 34	192	12 %
35 - 39	209	13 %
40 - 44	163	10 %
45 - 49	211	13 %
50 - 54	218	14 %
55 - 59	146	9 %
60+	151	10 %
Total	1,586	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	761	381	1,142	72 %
White, Non-Hispanic	318	79	397	25 %
Hispanic	21	7	28	2 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	7	1	8	1 %
Multi-race	6	1	7	<1 %
Total	1,117	469	1,586	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	607	0	607	56 %
Injection drug use	49	42	91	8 %
Men who have sex with men and inject drugs	79	0	79	7 %
Heterosexual contact	76	207	283	26 %
Transfusion/Hemophilia	2	3	5	<1 %
Perinatal	6	6	12	1 %
Total	819	258	1,077	100 %
<i>No Identified Risk</i>	<i>298</i>	<i>211</i>	<i>509</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of March 31, 2014**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

• **1,568** cumulative AIDS cases have been diagnosed in Region 7 since the beginning of the epidemic, including **19** pediatric cases.

• **812** persons are currently living with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	241	30 %
Men	571	70 %
Total	812	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
13 - 19	5	1 %	Black, Non-Hispanic	386	196	582	72 %
20 - 24	24	3 %	White, Non-Hispanic	168	39	207	25 %
25 - 29	58	7 %	Hispanic	9	5	14	2 %
30 - 34	69	8 %	Asian/Pacific Islander	3	0	3	<1 %
35 - 39	100	12 %	American Indian	3	0	3	<1 %
40 - 44	87	11 %	Multi-race	2	1	3	<1 %
45 - 49	126	16 %	Total	571	241	812	100 %
50 - 54	153	19 %					
55 - 59	91	11 %					
60+	99	12 %					
Total	812	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	283	0	283	51 %
Injection drug use	32	17	49	9 %
Men who have sex with men and inject drugs	52	0	52	9 %
Heterosexual contact	53	112	165	29 %
Transfusion/Hemophilia	1	3	4	1 %
Perinatal	3	4	7	1 %
Total	424	136	560	100 %
<i>No Identified Risk</i>	<i>147</i>	<i>105</i>	<i>252</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2013**

- 152 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	116	76 %	Black, Non-Hispanic	116	76 %
Women	36	24 %	White, Non-Hispanic	27	18 %
Total	152	100 %	Hispanic	4	3 %
			Asian/Pacific Islander	1	1 %
			American Indian	3	2 %
			Multi-race	1	1 %
			Total	152	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	45	30 %	Men who have sex with men	53	76 %
25 - 34	45	30 %	Injection drug use	4	6 %
35 - 44	27	18 %	Men who have sex with men and inject drugs	2	3 %
45+	35	23 %	Heterosexual contact	11	16 %
Total	152	100 %	Total	70	100 %
			<i>No Identified Risk</i>	82	

AIDS CASES DIAGNOSED January - December 2013

- 68 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	44	65 %	Black, Non-Hispanic	56	82 %
Women	24	35 %	White, Non-Hispanic	10	15 %
Total	68	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	1	1 %
			Total	68	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	12 %	Men who have sex with men	15	62 %
25 - 34	19	28 %	Injection drug use	2	8 %
35 - 44	18	26 %	Men who have sex with men and inject drugs	2	8 %
45+	23	34 %	Heterosexual contact	5	21 %
Total	68	100 %	Total	24	100 %
			<i>No Identified Risk</i>	44	

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of March 31, 2014***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,758** cumulative cases have been detected in Region 8 since the beginning of the epidemic, including **18** pediatric cases.
- **724** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,028** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **491**
Persons living with AIDS: **537**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	359	35 %
Men	669	65 %
Total	1,028	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	6	1 %	Black, Non-Hispanic	484	302	786	76 %
13 - 19	14	1 %	White, Non-Hispanic	162	47	209	20 %
20 - 24	48	5 %	Hispanic	12	6	18	2 %
25 - 29	77	7 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	113	11 %	American Indian	3	1	4	<1 %
35 - 39	132	13 %	Unknown	1	0	1	<1 %
40 - 44	142	14 %	Multi-race	4	2	6	1 %
45 - 49	123	12 %	Total	669	359	1,028	100 %
50 - 54	156	15 %					
55 - 59	112	11 %					
60+	105	10 %					
Total	1,028	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	357	0	357	51 %
Injection drug use	35	35	70	10 %
Men who have sex with men and inject drugs	38	0	38	5 %
Heterosexual contact	67	154	221	31 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	10	13	2 %
Total	502	202	704	100 %

<i>No Identified Risk</i>	<i>167</i>	<i>157</i>	<i>324</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS

Region 8: Monroe Region

as of March 31, 2014

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

• **1,127** cumulative AIDS cases have been diagnosed in Region 8 since the beginning of the epidemic, including **9** pediatric cases.

• **537** persons are currently living with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	171	32 %
Men	366	68 %
Total	537	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
13 - 19	3	1 %	Black, Non-Hispanic	262	144	406	76 %
20 - 24	16	3 %	White, Non-Hispanic	92	24	116	22 %
25 - 29	16	3 %	Hispanic	7	2	9	2 %
30 - 34	42	8 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	75	14 %	American Indian	1	0	1	<1 %
40 - 44	92	17 %	Multi-race	2	1	3	1 %
45 - 49	73	14 %	Total	366	171	537	100 %
50 - 54	81	15 %					
55 - 59	74	14 %					
60+	65	12 %					
Total	537	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	182	0	182	49 %
Injection drug use	18	24	42	11 %
Men who have sex with men and inject drugs	26	0	26	7 %
Heterosexual contact	44	73	117	31 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	2	2	4	1 %
Total	274	100	374	100 %
<i>No Identified Risk</i>	<i>92</i>	<i>71</i>	<i>163</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2013**

- 93 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	69	74 %	Black, Non-Hispanic	65	70 %
Women	24	26 %	White, Non-Hispanic	24	26 %
Total	93	100 %	Hispanic	1	1 %
			American Indian	2	2 %
			Multi-race	1	1 %
			Total	93	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	25	27 %	Men who have sex with men	48	77 %
25 - 34	25	27 %	Injection drug use	4	6 %
35 - 44	27	29 %	Men who have sex with men and inject drugs	2	3 %
45+	16	17 %	Heterosexual contact	8	13 %
Total	93	100 %	Total	62	100 %
			<i>No Identified Risk</i>	<i>31</i>	

AIDS CASES DIAGNOSED January - December 2013

- 46 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	33	72 %	Black, Non-Hispanic	36	78 %
Women	13	28 %	White, Non-Hispanic	10	22 %
Total	46	100 %	Total	46	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	11 %	Men who have sex with men	21	72 %
25 - 34	10	22 %	Injection drug use	2	7 %
35 - 44	19	41 %	Men who have sex with men and inject drugs	2	7 %
45+	12	26 %	Heterosexual contact	4	14 %
Total	46	100 %	Total	29	100 %
			<i>No Identified Risk</i>	<i>17</i>	

Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2014

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,570** cumulative cases have been detected in Region 9 since the beginning of the epidemic, including **18** pediatric cases.
- **648** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,195** persons are currently living with HIV/AIDS in Region 9.
 Persons living with HIV: **545**
 Persons living with AIDS: **650**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	319	27 %
Men	876	73 %
Total	1,195	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
0 - 12	5	<1 %	Black, Non-Hispanic	399	203	602	50 %
13 - 19	4	<1 %	White, Non-Hispanic	449	105	554	46 %
20 - 24	41	3 %	Hispanic	20	9	29	2 %
25 - 29	76	6 %	Asian/Pacific Islander	2	2	4	<1 %
30 - 34	91	8 %	American Indian	1	0	1	<1 %
35 - 39	130	11 %	Multi-race	5	0	5	<1 %
40 - 44	157	13 %	Total	876	319	1,195	100 %
45 - 49	200	17 %					
50 - 54	206	17 %					
55 - 59	162	14 %					
60+	123	10 %					
Total	1,195	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	463	0	463	56 %
Injection drug use	61	45	106	13 %
Men who have sex with men and inject drugs	56	0	56	7 %
Heterosexual contact	65	114	179	22 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	9	5	14	2 %
Total	660	164	824	100 %
<i>No Identified Risk</i>	<i>216</i>	<i>155</i>	<i>371</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of March 31, 2014

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,069** cumulative AIDS cases have been diagnosed in Region 9 since the beginning of the epidemic, including **10** pediatric cases.
- **650** persons are currently living with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	151	23 %
Men	499	77 %
Total	650	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
20 - 24	11	2 %	Black, Non-Hispanic	229	96	325	50 %
25 - 29	21	3 %	White, Non-Hispanic	253	48	301	46 %
30 - 34	40	6 %	Hispanic	11	6	17	3 %
35 - 39	69	11 %	Asian/Pacific Islander	1	1	2	<1 %
40 - 44	85	13 %	American Indian	1	0	1	<1 %
45 - 49	118	18 %	Multi-race	4	0	4	1 %
50 - 54	123	19 %	Total	499	151	650	100 %
55 - 59	101	16 %					
60+	82	13 %					
Total	650	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	262	0	262	56 %
Injection drug use	43	22	65	14 %
Men who have sex with men and inject drugs	30	0	30	6 %
Heterosexual contact	40	56	96	21 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	5	1	6	1 %
Total	385	79	464	100 %
<i>No Identified Risk</i>	<i>114</i>	<i>72</i>	<i>186</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2013**

- 74 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	59	80 %	Black, Non-Hispanic	47	64 %
Women	15	20 %	White, Non-Hispanic	27	36 %
Total	74	100 %	Total	74	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	10	14 %	Men who have sex with men	36	84 %
25 - 34	16	22 %	Injection drug use	3	7 %
35 - 44	23	31 %	Heterosexual contact	4	9 %
45+	25	34 %	Total	43	100 %
Total	74	100 %	<i>No Identified Risk</i>	<i>31</i>	


AIDS CASES DIAGNOSED January - December 2013

- 43 persons were newly diagnosed with AIDS in Region 9.


<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	34	79 %	Black, Non-Hispanic	25	58 %
Women	9	21 %	White, Non-Hispanic	16	37 %
Total	43	100 %	Hispanic	2	5 %
			Total	43	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	3	7 %	Men who have sex with men	23	74 %
25 - 34	11	26 %	Injection drug use	3	10 %
35 - 44	14	33 %	Men who have sex with men and inject drugs	1	3 %
45+	15	35 %	Heterosexual contact	4	13 %
Total	43	100 %	Total	31	100 %
			<i>No Identified Risk</i>	<i>12</i>	

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2004-2013)




*The number of new HIV diagnoses in 2013 is subject to change as the data are not finalized.




* The number of new AIDS diagnoses in 2013 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2004-2013)



*The number of persons living with HIV/AIDS in 2013 is an overestimate because the 2013 death registry match has not occurred as of March 31, 2014.



*The number of persons living with AIDS in 2013 is an overestimate because the 2013 death registry match has not occurred as of March 31, 2014.